

Town of Hyde Park

APPLICATION for EROSION AND SEDIMENT CONTROL PERMIT

(per Chapter 93-6 B)

1. A Erosion Control Permit must be obtained before undertaking any soil disturbance for any construction or land development activities that do not require a Stormwater Management Permit and are not exempt under Chapter 93-5 L Section:
2. The Applicant is directed to Chapter 93-Stormwater Management and Erosion and Sediment Control of the Town of Hyde Park for governing requirements for issuance of a permit.

A. Applicant Information:

Name: _____

Address: _____

Phone# _____

Fax# _____

E-Mail _____

B. Parcel Owner Information

Name: _____

Address: _____

Phone# _____

Fax# _____

E-Mail _____

C. Professional Consultant Information (NYS Engineer or Architect)

Name: _____

Address: _____

Phone# _____

Fax# _____

E-Mail _____

3. Check list accompanying this application should be completed and included with the permit.

Parcel Tax ID # _____

Project Street Address: _____

Project Name: _____

Application Information:

1. How many cubic yards of material will be moved on site? _____
 2. How many cubic yards of material will be imported, from what source and of what soil type? _____

 3. How many cubic yards of material will be removed from the property and where will it be taken? _____

 4. What is the maximum area to be cleared, graded or otherwise disturbed at any given time? _____ Ac.
 5. Anticipated starting date: _____
 6. Anticipated completion date: _____
 7. Estimated time of exposure for each area prior to completion of the proposed erosion and sediment control measures: _____
 8. Is any portion of the property within a 100 year flood plain? _____ If yes, a certificate of elevation will be required.
 9. Will fill be placed in the 100 year flood plain? _____ If yes, a flood development permit is required.
 10. Drainage area contributes to what watershed: _____ If a 303d watershed include water quality/quantity controls.
- List any other applicable regulatory permits required (i.e., Hudson, Fallkill, Wappingers)

APPLICATION FEE \$200 Date Paid: _____ ESCROW for Town Engineer: \$500 Date Paid

Application fee set by the Fee Schedule adopted by the Town Board on April 4, 2016

If stabilization is not complete within one year a \$50 annual fee will be charged.

Signatures: Applicant _____

Property Owner _____

*Authorization letter from Property Owner indicating applicant is acting on their behalf will be accepted.

Permit Approval

Note: Permit will not be approved until all other regulatory permits are obtained for the Project as needed.

Kathleen Moss, Stormwater Management Officer

Date

Town Engineer

Date

CHECKLIST

An application for an Erosion and Sediment Control Permit shall be submitted to the Zoning Administrator together with a properly prepared Erosion and Sediment Control Plan and the application fee set forth in the Fee Schedule approved by the Town Board. Erosion and Sediment Control Plans shall be prepared by a New York State Licensed architect or professional engineer and shall meet the following minimum requirements.

Information Required

Provided	Waiver Requested	
-----------------	-------------------------	--

- | | | |
|-------|-------|---|
| <hr/> | <hr/> | a. Certified boundary survey prepared |
| <hr/> | <hr/> | b. A note is required on all maps indicating that prior to a Certificate of Occupancy all disturbed areas shall be final Graded, seeded/stabilized and mulched to the satisfaction of the Zoning Administrator and SMO. |
| <hr/> | <hr/> | c. All applicants disturbing land shall prepare an erosion control plan in accordance with the NYS Standards and Specifications for Erosion and Sediment Manual, dated 2004 or latest revision. |
| <hr/> | <hr/> | d. Provide note stating protective erosion control measures must Be in place at the onset of construction. |
| <hr/> | <hr/> | e. Provide stabilized construction entrance. |
| <hr/> | <hr/> | f. Soil stabilization measures including but not limited to, seed and mulch, must be shown on the plan. |
| <hr/> | <hr/> | g. Provide notes indicating discharges from sump pumps, septic, or roof/footing drains are not allowed to tie directly into any stormwater conveyance system. Locate all stormwater discharge points on the plan. |
| <hr/> | <hr/> | h. Provide Temporary stabilization measures for highly erosive soils if exposed for more than 30 days. |
| <hr/> | <hr/> | i. Existing and proposed topography must be shown in two foot contour intervals. |
| <hr/> | <hr/> | j. Limit of disturbance lines must be shown. |
| <hr/> | <hr/> | k. Soil types must be shown and identified as classified by the most recent Dutchess County Soils Survey for both existing and imported soils. |
| <hr/> | <hr/> | l. Location of jurisdictional wetlands must be shown. |
| <hr/> | <hr/> | m. The estimated timeframe for start and completion of work must be shown. |

